
Yamcs Studio Release Notes

Space Applications Services

Jul 05, 2020

Contents

Preface	2
Changes in Yamcs Studio 1.3	2
Changes in Yamcs Studio 1.3.4 (March 30, 2020)	2
Changes in Yamcs Studio 1.3.3 (Feb. 19, 2020)	2
Changes in Yamcs Studio 1.3.2 (Nov. 25, 2019)	2
Changes in Yamcs Studio 1.3.1 (Nov. 5, 2019)	2
Changes in Yamcs Studio 1.3.0 (Sept. 24, 2019)	3
Changes in Yamcs Studio 1.2	3
Changes in Yamcs Studio 1.2.6 (June 14, 2019)	3
Changes in Yamcs Studio 1.2.5 (May 8, 2019)	3
Changes in Yamcs Studio 1.2.4 (April 15, 2019)	3
Changes in Yamcs Studio 1.2.3 (April 2, 2019)	3
Changes in Yamcs Studio 1.2.2 (March 19, 2019)	4
Changes in Yamcs Studio 1.2.1 (Jan. 9, 2019)	4
Changes in Yamcs Studio 1.2.0 (Oct. 1, 2018)	4
Changes in Yamcs Studio 1.1	4
Changes in Yamcs Studio 1.1.0 (July 20, 2018)	4
Changes in Yamcs Studio 1.0	5
Changes in Yamcs Studio 1.0.6 (June 18, 2019)	5
Changes in Yamcs Studio 1.0.5 (Jan. 9, 2019)	5
Changes in Yamcs Studio 1.0.4 (July 20, 2018)	5
Changes in Yamcs Studio 1.0.3 (June 26, 2018)	5
Changes in Yamcs Studio 1.0.2 (April 4, 2018)	6
Changes in Yamcs Studio 1.0.1 (March 28, 2018)	6
Changes in Yamcs Studio 1.0.0 (March 26, 2018)	6

Preface

This document contains release notes for the changes in each release of Yamcs Studio up through Yamcs Studio 1.3.4.

The documentation included in source and binary distributions may not be fully up to date with respect to release note entries because integration of the documentation occurs at release build time. For the most up-to-date release notes, please refer to the online documentation instead.

Changes in Yamcs Studio 1.3

Changes in Yamcs Studio 1.3.4 (March 30, 2020)

- Memory improvements for Archive and other views (thanks @tomvanbraeckel)
- Refresh Archive after adding an annotation (#88)
- When confirming a significant stacked command, 'Cancel' is by default selected instead of 'OK'.
- Adds missing newlines in a command history CSV export.
- Allow to override the OPI used for the Probe dialog through preferences.
- Fixes overlap and font issues in the default probe OPI.

Changes in Yamcs Studio 1.3.3 (Feb. 19, 2020)

- Update to Yamcs v4.10.7
- Fix issue with probe dialog not working on Windows
- Add sound control options in toolbar
- Exported stacks only contain user-selected assignments
- Fix stack export issue on JDK 11
- When starting a replay, use the active selection as default range

Changes in Yamcs Studio 1.3.2 (Nov. 25, 2019)

- Support saving connections, even when not connecting.
- Add support for Kerberos authentication.
- Add temporary workaround for recent Archive Browser action enablement quirks.

Changes in Yamcs Studio 1.3.1 (Nov. 5, 2019)

- Update to Yamcs 4.10.4

Changes in Yamcs Studio 1.3.0 (Sept. 24, 2019)

- Fix JDK8 compatibility issue in Archive View
- Make it possible to connect to Yamcs without an instance
- Show changed argument defaults in stack table
- Fix single-line comments in external scripts
- Fix connection with unsaved password
- This version should be run against Yamcs v4.10.3 or higher

Changes in Yamcs Studio 1.2

Changes in Yamcs Studio 1.2.6 (June 14, 2019)

- Adapt to API change in alarm subscription
- This version should be run against Yamcs v4.10.0 or higher

Changes in Yamcs Studio 1.2.5 (May 8, 2019)

- Allow SSL/TLS connection to Yamcs.
- Support new parameter value type 'ENUMERATED'.
- Support JDK11.
- Fix url-issue when addressing array entries.

Changes in Yamcs Studio 1.2.4 (April 15, 2019)

- Automatically load last few entries when loading Command History view.
- Don't use spinner input widget for entering integer command arguments outside of java int range.
- Support interpreting "superuser" attribute.

Changes in Yamcs Studio 1.2.3 (April 2, 2019)

- Add support for arrays and aggregates (requires Yamcs v4.9.2 or higher)
- Fix highlight issue with opsnames
- Group acks and verifiers under Stages.
- Make it possible to disarm after arm
- Fix not possible to enter negative integer command argument

Changes in Yamcs Studio 1.2.2 (March 19, 2019)

- Fix stack copy/paste
- Allow executing stack automatically
- Fix probe dialog not working
- Fix event log and archive issues related to instance switch
- Support autocompletion on opsname
- Support script function where command arguments are passed as dictionary

Changes in Yamcs Studio 1.2.1 (Jan. 9, 2019)

- Fix importPackage-related leak
- Make importPackage calls optional in user scripts
- Fix event log not clearing

Changes in Yamcs Studio 1.2.0 (Oct. 1, 2018)

- New
 - The looks of the Event Log can be changed using custom rules
 - An OPI file can be marked as the active ‘schema’. Properties of this schema’s widgets become defaults while editing other displays.
 - Named OPI fonts/colors are now stored to user preferences. The initial list of named colors is less opinionated. Liberation Sans is the new default font.
 - Yamcs Studio no longer auto-creates an example project. Instead examples can be manually added to your workspace via `File > New > Example...`
 - Replay options have been extended to support range limiting, step-by-step replay and arbitrary speed factors.
 - Application logs are now automatically persisted to `~/ .config/yamcs-studio/logs` (rotated)
 - Column changes in Command History and Event Log are saved to user preferences.
 - When opening Yamcs Studio, the last used workspace is reopened.
 - The Links view now indicates IN and OUT data counters in different columns, as introduced in Yamcs v4.7.
- Bug fixes
 - Fix importPackage support in Action scripts

Changes in Yamcs Studio 1.1

Changes in Yamcs Studio 1.1.0 (July 20, 2018)

- New
 - Parameter with datasource EXTERNAL1-3 support writes
 - Boolean widgets of type Enum compare string value of On/Off State property to determine state
- Bug fixes

- Fix issue with wrong workspace selection
- Fixes automatic opening of Displays to always open in Display Runner window
- Loads parameters over multiple requests for large MDBs

Changes in Yamcs Studio 1.0

Changes in Yamcs Studio 1.0.6 (June 18, 2019)

- Fix single-line comments in external scripts
- Fix connection with unsaved password
- Allowing specifying command arguments as dict
- Fix duplicate identity issue in cmd stack copy/paste functionality

Changes in Yamcs Studio 1.0.5 (Jan. 9, 2019)

- Fix importPackage support in Action scripts
- Fix importPackage-related leak
- Make importPackage calls optional in user scripts

Changes in Yamcs Studio 1.0.4 (July 20, 2018)

- New
 - Add transitional support for deprecated sw:// PVs
- Bug fixes
 - Fix issue with wrong workspace selection
 - Fix `-workspace` flag
 - Fixes connectivity with Yamcs v3 (uses yamcs-client v3.4.5)
 - Fixes automatic opening of Displays to always open in Display Runner window

Changes in Yamcs Studio 1.0.3 (June 26, 2018)

- New
 - Add support for Yamcs `timestamp` datatype
 - #54 Add static entries in Window menu for directly opening Display Builder or Display Runner
 - Use qualified names in command tree
 - Use nashorn instead of rhino for JavaScript execution (under review)
 - Improved consistency in the formatting of timestamps
- Bug fixes
 - Fixes an issue with writing to Yamcs local parameters
 - Print error causes directly in studio log (no stacktrace)
 - Fix issue where a runner window could end up being duplicated
 - Fix issue with assigning argument of parent command containers

- By default, hide default command arguments

Changes in Yamcs Studio 1.0.2 (April 4, 2018)

- Restores script access to org.csstudio.swt.*
- Fixes an issue where dropdown boxes did not keep their selection on Windows and OSX

Changes in Yamcs Studio 1.0.1 (March 28, 2018)

- Improve compatibility with older Yamcs instances
- Allow running with Java 9 or 10 (in addition to Java 8)

Changes in Yamcs Studio 1.0.0 (March 26, 2018)

- Compatible with both Yamcs v3.4.x and v4.x
- By default, Yamcs Studio will now open in Editor mode (on a new or reset workspace)
- The perspective switcher in the top-right toolbar was removed. Instead the Editor and the Runtime operate in distinct windows. Switching between the two types of windows can be done via a new button in the main toolbar.
- The ‘Navigator’ tree view was replaced with an identical looking ‘Explorer’ view. This Explorer view has better default open actions. In a Runtime window, double clicking will open an OPI file in runtime mode. In an Editor window, double clicking will open an OPI file in editor mode.
- Plot series max count was increased from 20 to 30.
- An issue was fixed where plots with formulas would not show data when replaying past data.
- The right-click “Show PV Info” popup was updated to show raw parameter values
- The right-click “Show PV Info” popup will now update its content as new parameter values are incoming (note that for non-parameter PVs the data will not currently update).
- The Probe popup (also available via the right-click menu of any PV widget) was refactored and now uses the MDB static alarm ranges (where applicable) to show a more meaningful meter.
- Yamcs Studio will now attempt auto-reconnection when connection to Yamcs is lost.
- Logging was refactored. Only INFO or worse are visible directly inside Yamcs Studio via the Console view. Debug logging (including stacktraces) are available via stdout/err.
- PV autocomplete suggestions will now also include yamcs-‘local’ parameters, such as system parameters.
- The event log uses different icons to be compatible with a recent change in Yamcs. The 3 old levels INFO, WARNING and ERROR are replaced by the new levels INFO, WATCH, WARNING, DISTRESS, CRITICAL and SEVERE. The ERROR state is matched to SEVERE.